

编号 NO.	型号 Type	流量 Flow rate m <sup>3</sup> /h	扬程 Head m	配用功率 Power kw	转速r/min	外径 outside diameter mm	出水口径 Outler diameter inch
1	400QJS450-39	450	39	75	2875	320	8"
2	400QJS450-78		78	150			
3	400QJS450-117		117	220			
4	400QJS450-156		156	300		360	
5	400QJS450-195		195	410			
6	400QJS500-34	500	34	75	2875	320	8"
7	400QJS500-69		68	150			
8	400QJS500-102		102	220			
9	400QJS500-136		136	300		360	
10	400QJS500-170		170	410			
11	400QJS550-17	550	17	45	1450	340	10"
12	400QJS550-34		34	90			
13	400QJS550-51		51	140			
14	400QJS550-68		68	180			
15	400QJS550-85		85	220			
16	400QJS550-102		102	260		360	
17	400QJS550-119		119	300			
18	400QJS550-136		136	350			
19	400QJS550-153		153	410			
20	400QJS600-14		14	45		340	
21	400QJS600-28		28	90			
22	400QJS600-42		42	140			

23	400QJS600-56	600	56	180	1450	360	10"
24	400QJS600-70		70	220			
25	400QJS600-84		84	260			
26	400QJS600-98		98	300			
27	400QJS600-112		112	350			
28	400QJS600-126		126	410			
29	400QJS650-11	650	11	45	1450	340	10"
30	400QJS650-21		21	90			
31	400QJS650-31		31	140			
32	400QJS650-41		41	180			
33	400QJS650-51		51	220			
34	400QJS650-61		61	260		360	
35	400QJS650-71		71	300			
36	400QJS650-81		81	350			
37	400QJS650-91		91	410			
38	600QJS600-34		600	34			
39	600QJS600-68	68		225			
40	600QJS600-102	102		315			
41	600QJS600-136	136		400			
42	600QJS600-170	170		520			
43	600QJS900-30	900	30	110	1450	520	12"
44	600QJS900-60		60	225			
45	600QJS900-90		90	315			
46	600QJS900-120		120	400			

47	600QJS900-150		150	520			
48	600QJS1100-24	1100	24	110	1450	520	12"
49	600QJS1100-48		48	225			
50	600QJS1100-72		72	315			
51	600QJS1100-96		96	400			
52	600QJS1100-120		120	520			





